

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

**LISTING OF CLAIMS**

1. (Withdrawn) A method of identifying a culture medium component, comprising the steps of:

measuring first indicia of a property of a plurality of first culture media which each contains a respective first test compound from within a first test library;

determining a relationship between at least one parameter of the first test compounds and the measured first indicia of the property of the plurality of first culture media;

determining a test requirement relating to the measured first indicia; and

identifying a second test library containing a plurality of second test compounds as components of a plurality of second culture media which based on the relationship are expected to provide second indicia of the property which meets the test requirement.

2. (Withdrawn) The method of Claim 1, wherein the plurality of first test compounds is selected from the first test library using a space-filling technique; and wherein the plurality of second test compounds is selected from the second test library using a space-filling technique.

3. (Withdrawn) The method of Claim 1, wherein said step of determining a relationship comprises the step of determining  $\hat{y}_i = f(x_{ij})$ , where  $x_{ij}$  denotes a parameter,  $i$  ranges from 1 to  $n$  where  $n$  represents the number of first culture media in the plurality thereof,  $j$  ranges from 1 to  $d$  where  $d$  represents the number of parameters, and  $\hat{y}_i$  represents an estimate of the measured first indicia of the property of the plurality of first culture media.

4. (Withdrawn) The method of Claim 3, wherein said step of determining a test requirement comprises the step of determining a range of acceptable indicia of the property.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

5. (Withdrawn) The method of Claim 4, wherein said identifying step comprises determining from  $\hat{y}_i = f(x_{ij})$  estimated indicia of the property of a plurality of second culture media which each contains a respective test compound; and wherein at least one of the second culture media contains a test compound that is not within the first test library.

6. (Withdrawn) The method of Claim 5, wherein said identifying step further comprises: determining which of the estimated indicia are within the range of acceptable indicia; and determining from the estimated indicia that are within the range, the plurality of second test compounds from the second test library.

7. (Withdrawn) The method of Claim 6, further comprising the step of measuring second indicia of the property of the plurality of second culture media.

8. (Withdrawn) The method of Claim 7, wherein  $f(x_{ij})$  is a non-parametric regression formula.

9. (Withdrawn) The method of Claim 3, wherein  $f(x_{ij})$  is a non-parametric regression formula.

10. (Withdrawn) The method of Claim 1, wherein said step of determining a relationship comprises the step of:

determining a distance function  $d(x_1, x_2)$  between a first value of a parameter,  $x_1$ , of a first test compound and a second value of the parameter,  $x_2$ , of a second test compound not within the plurality of first test compounds; and

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

estimating indicia of the property of a culture medium containing the second test compound as the indicia of the property of the culture medium containing the first test compound if  $d(x_1, x_2) \# dcutoff1$ , where  $dcutoff1$  is a cutoff distance for the first test compound.

11. (Withdrawn) The method of Claim 1, wherein said measuring step is preceded by a step of defining a first test library by representing each of a plurality of groups of compound isomers from a compound space as a respective candidate compound.

12. (Withdrawn) The method of Claim 11, further comprising the step of expanding less than all of the candidate compounds determined in said representing step into their constituent compound isomers using a space-filling technique.

13. (Withdrawn) The method of Claim 1, wherein the at least one parameter is selected from the group consisting of whole molecule, sequence-specific, and topological parameters.

14. (Withdrawn) The method of Claim 1, wherein the at least one parameter is a whole molecule parameter.

15. (Withdrawn) The method of Claim 14, wherein the whole molecule parameter is selected from the group consisting of total charge, molecular weight, isoelectric point, total dipole moment, isotropic surface area, electronic charge index, and hydrophobicity.

16. (Withdrawn) A culture medium component identified by the method of Claim 1.

17. (Withdrawn) A culture medium comprising the culture medium component of Claim

16.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

18. (Withdrawn) The method of Claim 1, wherein the first and second test libraries are selected from the group consisting of peptide, polynucleotide, nucleic acid, carbohydrate, free fatty acid, and lipid libraries.

19. (Withdrawn) The method of Claim 1, wherein the first and second test libraries are test peptide libraries.

20. (Withdrawn) The method of Claim 19, wherein the first and second test peptide libraries consist of peptides having a length in a range from about four amino acids to about twenty amino acids.

21. (Withdrawn) The method of Claim 19, wherein the peptides in the first test library comprise at least one amino acid position that is nonvariable or is designated by a limited number of possible amino acids.

22. (Withdrawn) The method of Claim 19, wherein the peptides in the second test library comprise at least one amino acid position that is nonvariable or is designated by a limited number of possible amino acids.

23. (Withdrawn) The method of Claim 1, wherein said step of measuring first indicia is preceded by the step of forming a plurality of cell cultures which each contains a respective first culture medium from within the plurality thereof.

24. (Withdrawn) The method of Claim 23 further comprising the step of conditioning the cell cultures to grow in both chemically-undefined and chemically-defined media prior to said measuring step.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

25. (Withdrawn) The method of Claim 23, wherein the cell cultures are selected from the group consisting of mammalian, insect, plant, fungal, yeast, protozoan and bacterial cell cultures.

26. (Withdrawn) The method of Claim 23, wherein the plurality of culture media are chemically-defined culture media.

27. (Withdrawn) The method of Claim 23, wherein the measured property of the plurality of first culture media is the ability to alter the growth, proliferation, maturation or differentiation of cultured cells.

28. (Withdrawn) The method of Claim 23, wherein the measured property of the plurality of first culture media is the ability to alter peptide or protein production by cultured cells.

29. (Withdrawn) The method of Claim 28, wherein the peptide or protein is selected from the group consisting of antigens, toxins, antibodies, hormones, growth factors, cytokines, clotting factors, and enzymes.

30. (Withdrawn) The method of Claim 23, wherein the measured property of the plurality of first culture media is the ability to alter the production of a compound selected from the group consisting of antibiotics, steroids, carbohydrates lipids and nucleic acids by cultured cells.

31. (Withdrawn) A method of defining a test compound library, comprising the step of representing each of a plurality of groups of compound isomers from within a compound space as a respective candidate compound.

32. (Withdrawn) The method of Claim 31, wherein said representing step is followed by the steps of:

selecting less than all of the candidate compounds using a space-filling technique; and

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

expanding the less than all of the candidate compounds determined in said selecting step into their constituent compound isomers.

33. (Withdrawn) The method of Claim 32, further comprising the step of selecting at least one constituent compound isomer for each of the candidate compounds.

34. (Withdrawn) The method of Claim 31, wherein the compound space and test compound library consist of compounds selected from the group consisting of peptides, polynucleotides, nucleic acids, carbohydrates, free fatty acids, and lipids.

35. (Withdrawn) The method of Claim 31, wherein the compound space is a peptide space and the test compound library is a test peptide library.

36. (Withdrawn) A test compound library wherein each of a plurality of compound isomers from within a compound space is represented as a respective candidate compound.

37. (Withdrawn) The test compound library of Claim 36, wherein the compound space is a peptide space and the test compound library is a test peptide library.

38. (Withdrawn) A test compound library formed by the method of Claim 31.

39. (Withdrawn) A test compound library formed by the method of Claim 32.

40. (Withdrawn) The test compound library of Claim 39, wherein the compound space is a peptide space and the test compound library is a test peptide library.

41. (Withdrawn) A method of identifying a culture medium component, comprising the steps of:

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

defining a first test library by representing each of a plurality of groups of compound isomers from within a compound space as a respective candidate compound;

measuring first indicia of a property of a plurality of first culture media which each contains a respective first test compound from within the first test library;

determining a relationship between at least one parameter of the first test compounds and the measured first indicia of the property of the plurality of first culture media;

determining a test requirement relating to the measured first indicia; and

identifying a plurality of second test compounds from within the compound space as components of a plurality of second culture media which based on the relationship are expected to provide second indicia of the property which meets the test requirement.

42. (Withdrawn) The method of Claim 41, wherein said defining step further comprises expanding the less than all of the candidate compounds determined in said representing step into their constituent compound isomers using a space-filling technique.

43. (Withdrawn) The method of Claim 42, wherein said defining step further comprises selecting at least one constituent compound isomer from each of the candidate compounds.

44. (Withdrawn) The method of Claim 41, wherein the plurality of first test compounds is selected from the first test library using a space-filling technique.

45. (Withdrawn) The method of Claim 41, wherein said step of determining a relationship comprises the step of determining  $\hat{y}_i = f(x_{ij})$ , where  $x_{ij}$  denotes a parameter,  $i$  ranges from 1 to  $n$  where  $n$  represents the number of first culture media in the plurality thereof,  $j$  ranges from 1 to  $d$  where  $d$  represents the number of parameters, and  $\hat{y}_i$  represents an estimate of the measured first indicia of the property of the plurality of first culture media.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

46. (Withdrawn) The method of Claim 45, wherein said step of determining a test requirement comprises the step of determining a range of acceptable indicia of the property.

47. (Withdrawn) The method of Claim 46, wherein said identifying step comprises determining from  $\hat{y}_i = f(x_{ij})$  estimated indicia of the property of a plurality of second culture media which each contains a respective test compound, wherein at least one of the second culture media contains a test compound that is not within the first test library.

48. (Withdrawn) The method of Claim 47, wherein said identifying step further comprises:

determining which of the estimated indicia are within the range of acceptable indicia; and

determining from the estimated indicia that are within the range, the plurality of second test compounds from the compound space.

49. (Withdrawn) The method of Claim 45, wherein  $f(x_{ij})$  is a non-parametric regression formula.

50. (Withdrawn) The method of Claim 41, wherein said step of determining a relationship comprises the step of:

determining a distance function  $d(x_1, x_2)$  between a first value of a parameter,  $x_1$ , of a first test compound and a second value of the parameter,  $x_2$ , of a second test compound not within the plurality of first test compounds; and

estimating indicia of the property of a culture medium containing the second test compound as the indicia of the property of the culture medium containing the first test compound if  $d(x_1, x_2) \# dcutoff1$ , where  $dcutoff1$  is a cutoff distance for the first test compound.



Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

51. (Withdrawn) The method of Claim 41, wherein the at least one parameter is selected from the group consisting of whole molecule, sequence-specific, and topological parameters.

52. (Withdrawn) The method of Claim 41, wherein the at least one parameter is a whole molecule parameter.

53. (Withdrawn) The method of Claim 41, wherein the compound space is selected from the group consisting of peptide, polynucleotide, nucleic acid, carbohydrate, free fatty acid, and lipid spaces.

54. (Withdrawn) The method of Claim 41, wherein the compound space is a peptide space.

55. (Withdrawn) A culture medium component identified by the method of Claim 41.

56. (Withdrawn) A culture medium comprising the culture medium component of Claim 55.

57. (Withdrawn) The method of Claim 41, wherein said step of measuring first indicia of the property comprises adding each of the plurality of first culture media to a respective cell culture to form a plurality of cell cultures each containing a respective culture medium containing a respective first test compound.

58. (Withdrawn) The method of Claim 57, wherein the plurality of cell cultures is selected from the group consisting of mammalian, insect, plant, fungal, yeast, protozoan and bacterial cell cultures.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

59. (Withdrawn) A method of predicting indicia of a property of a peptide, comprising the steps of:

measuring indicia of an activity of a plurality of test peptides from a test peptide library;

determining a relationship between the measured indicia of the activity and at least one whole molecule parameter of the plurality of test peptides;

predicting the indicia of the activity of a peptide not within the plurality of test peptides based on the relationship.

60. (Withdrawn) The method of Claim 59, wherein the first plurality of test peptides from the test peptide library is selected using a space-filling technique.

61. (Withdrawn) The method of Claim 59, wherein the at least one whole molecule parameter comprises a parameter selected from the group consisting of total charge, molecular weight, isoelectric point, total dipole moment, isotropic surface area, electronic charge index, and hydrophobicity.

62. (Withdrawn) The method of Claim 59, wherein at least two whole molecule parameters of the plurality of test peptides are selected from the group consisting of total charge, molecular weight, isoelectric point, total dipole moment, isotropic surface area, electronic charge index, and hydrophobicity.

63. (Withdrawn) The method of Claim 59, wherein the at least one whole molecule parameter comprises hydrophobicity, molecular weight, total dipole moment, and total charge.

64. (Withdrawn) The method of Claim 59, wherein the at least one whole molecule parameter comprises molecular weight and at least one additional parameter selected from the group

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

consisting of total charge, isoelectric point, total dipole moment, isotropic surface area, electronic charge index, and hydrophobicity.

65. (Withdrawn) The method of Claim 59, wherein the activity is binding to a receptor.

66. (Withdrawn) The method of Claim 59, wherein the activity is enhancement or inducement of a biological activity in a cell.

67. (Withdrawn) The method of Claim 59, wherein the activity is inhibition or prevention of a biological activity in a cell.

68. (Withdrawn) The method of Claim 66 or Claim 67, wherein the cell is a cell cultured in vitro.

69. (Withdrawn) The method of Claim 68, wherein said step of measuring indicia of the property comprises:

forming a plurality of culture media that each contains a respective test peptide from the plurality thereof; and

adding each of the plurality of culture media to a respective cell culture to form a plurality of cell cultures each containing a respective culture medium containing a respective test compound.

70. (Withdrawn) The method of Claim 59, wherein the activity is enhancement or inhibition of a receptor.

71. (Withdrawn) The method of Claim 59, wherein the activity is enhancement or inducement of activation of a receptor.

72. (Withdrawn) The method of Claim 59, wherein the test peptide library consists of peptides having a length in a range from about four amino acids to about twenty amino acids.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

73. (Withdrawn) The method of Claim 59, wherein the test peptide library consists of peptides having a length in a range from about four amino acids to about ten amino acids.

74-75 (cancelled)

76. (Previously presented): The method of claim 128, wherein said step of determining a relationship comprises the step of determining  $\hat{y}_i = f(x_{ij})$ , where  $x_{ij}$  denotes a whole molecule parameter,  $i$  ranges from 1 to  $n$  where  $n$  represents the number of first test peptides in the plurality thereof,  $j$  ranges from 1 to  $d$  where  $d$  represents the number of whole molecule parameters, and  $\hat{y}_i$  represents an estimate of the measured first indicia of the activity of the plurality of first test peptides.

77-81 (cancelled)

82. (Previously presented): The method of claim 128, wherein said space-filling design expands less than all of the first test peptides into their constituent compound isomers.

83 (Previously presented): The method of claim 128, wherein said whole molecule parameter is selected from the group consisting of total charge, molecular weight, isoelectric point and total dipole moment.

84. (Previously presented): The method of claim 128, wherein said whole molecule parameter is selected from the group consisting of total charge, molecular weight, isoelectric point and total dipole moment, and further wherein said sequence specific parameter is selected from the group consisting of isotropic surface area, electronic charge index and hydrophobicity.

85. (Previously presented): The method of claim 128, wherein said sequence-specific parameter is selected from the group consisting of isotropic surface area, electronic charge index and hydrophobicity.

86. (Previously presented): The method of claim 128, wherein said whole molecule parameter is molecular weight and at least one additional parameter selected from the group consisting of total charge, isoelectric point, total dipole moment, isotropic surface area, electronic charge index, and hydrophobicity.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

87. (Previously presented): The method of claim 128, wherein the activity is binding to a receptor.

88. (Previously presented): The method of claim 128, wherein the activity is enhancement or inducement of a biological activity in a cell.

89. (Previously presented): The method of claim 128, wherein the activity is inhibition or prevention of a biological activity in a cell.

90. (original): The method of claim 88 or claim 89, wherein the cell is a cell cultured in vitro.

91. (Previously presented): The method of claim 90, wherein the step of measuring the indicia said activity comprises:

forming a plurality of culture media that each contains a respective test peptide from the plurality thereof; and

adding each of the plurality of culture media to a respective cell culture to form a plurality of cell cultures each containing a respective culture medium containing a respective first test compound.

92. (Previously presented): The method of claim 128, wherein the activity is inhibition or prevention of activation of a receptor.

93. (Previously presented): The method of claim 128, wherein the activity is enhancement or inducement of activation of a receptor.

94. (Previously presented): The method of claim 128, wherein the first test peptide library consists of peptides having a length of no less than four amino acids.

95. (Previously presented): The method of claim 128, wherein the first test peptide library consists of peptides having a length of no more than ten amino acids.

96. (Withdrawn) A method of identifying a culture medium component, comprising the steps of:

culturing a plurality of first cell cultures in a plurality of first culture media each containing a respective first test compound from a first test library;

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

measuring first indicia of a property of the plurality of first culture media in the plurality of first cell cultures;

determining a relationship between the measured first indicia of the property and at least one parameter of the plurality of first culture media;

determining a test requirement relating to the measured first indicia; and

culturing a plurality of second cell cultures in a plurality of second culture media each containing a respective second test compound from a second test library;

wherein based on the relationship the plurality of second culture media containing the second test compounds are predicted to give indicia of the property that satisfy the test requirement.

97. (Withdrawn) The method of Claim 96, further comprising the step of reformulating the culture medium containing the identified culture medium component to omit components.

98. (Withdrawn) The method of Claim 97, wherein at least one component is omitted from the culture medium formulation.

99. (Withdrawn) The method of Claim 96, wherein said step of culturing a plurality of first cell cultures further comprises the steps of:

culturing the plurality of first cell cultures in a chemically-defined culture medium and a chemically-undefined culture medium each containing a test compound from the first test library; and

comparing the measured indicia of the property for the same test compound in the chemically-defined culture medium and the chemically-undefined culture medium.

100. (Withdrawn) The method of Claim 96, wherein said measuring step is preceded by the step of conditioning the cell cultures to grow in both chemically-undefined and chemically-defined media.

101. (Withdrawn) The method of Claim 96, wherein the plurality of first and second culture media comprise a concentration of an undefined protein component in a range from about 0.1% (w/v) to about 2.5%(w/v).

102. (Withdrawn) The method of Claim 101, wherein the undefined protein component is selected from the group consisting of hydrolysates, digests, extracts, and infusions.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

103. (Withdrawn) The method of Claim 96, wherein the plurality of first and second culture media comprise a concentration of an undefined protein component in a range from about 0.25% (w/v) to about 1%(w/v).

104. (Withdrawn) The method of Claim 96, wherein the plurality of first and second culture media comprise a concentration of serum in a range from about 0.05% (v/v) to about 30%(v/v).

105. (Withdrawn) The method of Claim 96, wherein the plurality of first and second cell cultures is selected from the group consisting of mammalian, insect, plant, fungal, yeast, protozoan and bacterial cell cultures.

106. (Withdrawn) The method of Claim 96, wherein the plurality of first and second culture media are chemically-defined culture media.

107. (Withdrawn) The method of Claim 96, wherein the plurality of first and second culture media are liquid culture media.

108. (Withdrawn) The method of Claim 96, wherein the measured property of the plurality of first culture media is the ability to alter growth, maturation, proliferation, or differentiation of cultured cells.

109. (Withdrawn) The method of Claim 96, wherein the measured property of the plurality of first culture media is the ability to alter peptide or protein synthesis by cultured cells.

110. (Withdrawn) The method of Claim 109, wherein the peptide or protein is selected from the group consisting of antigens, toxins, antibodies, hormones, growth factors, cytokines, clotting factors, and enzymes.

111. (Withdrawn) The method of Claim 96, wherein the measured property of the plurality of first culture media is the ability to alter the synthesis of a compound selected from the group consisting of antibiotics, steroids, carbohydrates, lipids and nucleic acids by cultured cells.

112. (Withdrawn) The method of Claim 96, wherein the measured property of the plurality of first culture media is the ability to alter peptide or protein secretion by cultured cells.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

113. (Withdrawn) A culture medium component identified by the method of Claim 96.

114. (Withdrawn) A culture medium comprising the culture medium component of Claim 113.

115. (Withdrawn) The culture medium of Claim 114, wherein the culture medium comprises a concentration of an undefined protein component in a range from about 0.1% (w/v) to about 2.5%(w/v).

116. (Withdrawn) The culture medium of Claim 115, wherein the undefined protein component is selected from the group consisting of hydrolysates, digests, extracts and infusions.

117. (Withdrawn) The culture medium of Claim 114, wherein the culture medium comprises a concentration of serum in a range from about 0.05% (v/v) to about 30%(v/v).

118. (Withdrawn) The culture medium of Claim 114, wherein the culture medium comprises insulin.

119. (Withdrawn) An apparatus for identifying a culture medium component, comprising:  
means for determining a relationship between measured first indicia of a property of a plurality of first culture media which each contains a respective first test compound from within a first test library and at least one parameter of the first test compounds; and  
means for identifying a second test library containing a plurality of second test compounds as components of a plurality of second culture media which based on the relationship are expected to provide second indicia of the property which meets a test requirement relating to the measured first indicia.

120. (Withdrawn) The apparatus of Claim 119, wherein said determining means comprises means for determining  $\hat{y}_i = f(x_{ij})$ , where  $x_{ij}$  denotes a parameter,  $i$  ranges from 1 to  $n$  where  $n$  represents the number of first culture media in the plurality thereof,  $j$  ranges from 1 to  $d$  where  $d$  represents the number of parameters, and  $\hat{y}_i$  represents an estimate of the measured first indicia of the property of the plurality of first culture media.



Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

121. (Withdrawn) The apparatus of Claim 120, wherein said identifying means comprises means for determining from  $\hat{y}_i = f(x_{ij})$  estimated indicia of the property of a plurality of second culture media which each contains a respective test compound, wherein at least one of the second culture media contains a test compound that is not within the first test library.

122. (Withdrawn) The apparatus of Claim 119, wherein said determining means comprises: means for determining a distance function  $d(x_1, x_2)$  between a first value of a parameter,  $x_1$ , of a first test compound and a second value of a parameter,  $x_2$ , of a second test compound not within the plurality of first test compounds; and

means for estimating indicia of the property of a culture medium containing the second test compound as the indicia of the property of the culture medium containing the first test compound if  $d(x_1, x_2) \# d_{\text{cutoff1}}$ , where  $d_{\text{cutoff1}}$  is a cutoff distance for the first test compound.

123. (Withdrawn) A computer program product readable by a machine and tangibly embodying a program of instructions executable by the machine to perform the method steps of:

determining a relationship between measured first indicia of a property of a plurality of first culture media which each contains a respective first test compound from within a first test library and at least one parameter of the first test compounds; and

identifying a second test library containing a plurality of second test compounds as components of a plurality of second culture media which based on the relationship are expected to provide second indicia of the property which meets a test requirement relating to the measured first indicia.

124. (Withdrawn) The computer program product of Claim 123, wherein said determining step further comprises determining  $\hat{y}_i = f(x_{ij})$ , where  $x_{ij}$  denotes a parameter,  $i$  ranges from 1 to  $n$  where  $n$  represents the number of first culture media from within a plurality thereof,  $j$  ranges from 1 to  $d$  where  $d$  represents the number of parameters, and  $\hat{y}_i$  represents an estimate of the measured first indicia of the property of the first test compounds.

125. (Withdrawn) The computer program product of Claim 124, wherein said identifying step further comprises determining from  $\hat{y}_i = f(x_{ij})$  estimated indicia of the property of a plurality of second culture media which each contains a respective test compound, wherein at least one of the second culture media contains a test compound that is not within the first test library.

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

126. (Withdrawn) The computer program product of Claim 125, wherein said determining step further comprises:

determining a distance function  $d(x_1, x_2)$  between a first value of a parameter,  $x_1$ , of a first test compound and a second value of a parameter,  $x_2$ , of a second test compound not within the plurality of first test compounds; and

estimating indicia of the property of a culture medium containing the second test compound as the indicia of the property of the culture medium containing the first test compound if  $d(x_1, x_2) \neq d_{\text{cutoff1}}$ , where  $d_{\text{cutoff1}}$  is a cutoff distance for the first test compound.

127. (Withdrawn) The method of Claim 97, wherein a vitamin is omitted from the culture medium formulation.

128 (New) A method of identifying a peptide with a desired activity having an indicia that satisfies a test requirement, the method comprising the steps of:

constructing a first test peptide library comprising a plurality of first test peptides by means of a space-filling design, wherein the length of said first test peptides comprises no greater than twenty amino acids, and wherein said first test peptides are characterized by a first parameter and a second parameter, said first parameter being a whole molecule parameter and said second parameter being a sequence-specific parameter;

determining an activity, having an indicia, of said plurality of first test peptides;

measuring the indicia of said activity of said plurality of first test peptides;

determining a relationship between said indicia of said activity, said first parameter, and said second parameter;

calculating an estimated indicia for each first test peptide in said first test peptide library using said determined relationship;

setting a test requirement, based on a desired activity, having a test indicia range;

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

selecting a second test peptide library comprising at least one second test peptide, wherein each second test peptide is a first test peptide having an estimated first indicia that satisfies said test requirement;

determining the indicia of said at least one second test peptide; and

identifying at least one second test peptide having an indicia that satisfies said test requirement.

129 (New) The method of claim 128 further comprising the steps:

selecting a subgroup of first test peptides, from said test peptides, having an indicia that satisfies said test requirement; and

expanding said first test peptides from said subgroup into their constituent compound isomers using a space-filling design to identify candidate peptides having said indicia of activity;

wherein:

said step of calculating comprises a step of calculating an estimated indicia for each candidate peptide using said determined relationship, and

said step of selecting a second test peptide library comprises a step of selecting a second test peptide library containing at least one candidate peptide having an estimated indicia that satisfies said test requirement.

130. (New) A method of identifying a peptide with a desired activity having an indicia that satisfies a test requirement, the method comprising the steps of:

identifying initial peptides having a length no greater than twenty amino acids, and wherein said initial peptides are characterized by a first parameter and a second parameter, said first parameter being a whole molecule parameter and said second parameter being a sequence-specific parameter;

USIDOC5 4867770v1

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

selecting a plurality of test peptides from said initial peptides to form a first test peptide library using a space filling design;

measuring the indicia of an activity of said plurality of test peptides;

determining a relationship between said measured indicia, said first parameter, and said second parameter of said plurality of test peptides;

calculating an estimated indicia for each initial peptide using said determined relationship;

setting a test requirement based on a desired activity, said test requirement having a test indicia range;

selecting a second test peptide library comprising at least one initial peptide having an estimated indicia that satisfies said test requirement;

measuring the indicia of said at least one second test peptide; and

identifying at least one second test peptide having a measured indicia that satisfies said test requirement.

131. (New) The method of claim 130, wherein said step of selecting a plurality of test peptides is performed using a space-filling design that applies a distance function.

132. (New) The method of claim 130, wherein the number of initial peptides in said second test peptide library exceeds a predetermined threshold suited for performing said measuring step, and prior to conducting the step of measuring, performing the steps:

selecting a plurality of new peptides from said first test peptide library to form a new test peptide library using a space filling design;

determining a new relationship between said measured indicia, said first parameter, and said second parameter;

USIDOC5 4867770v1

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

calculating an estimated indicia for each initial peptide using said new determined relationship;

selecting a new second test peptide library comprising at least one initial peptide having an estimated indicia that satisfies said test requirement; and

repeating said steps of selecting a plurality of new peptides, determining a new relationship, calculating an estimated indicia, and selecting a new second test peptide library until the number of initial peptides in said new second test peptide library does not exceed the predetermined threshold.

133. (New) The method of claim 132, further comprising, prior to performing said step of selecting, a step of adjusting said test requirement by a desired value for improving results of said step of selecting a new second peptide library.

US1DOCS 4867770v1

Attorney Docket No. (P3250) 6675.142US1

Serial No. 09/359,260

134. (New) The method of claim 130, wherein the number of initial peptides in said second test peptide library exceeds a predetermined threshold suited for performing said measuring step, and prior to conducting the step of measuring, performing the steps:

selecting a plurality of new peptides from said first test peptide library to form a new test peptide library using a space filling design;

determining a new relationship between said measured indicia, said first parameter, and said second parameter;

calculating an estimated indicia for each initial peptide using said new determined relationship;

selecting a new second test peptide library comprising at least one initial peptide having an estimated indicia that satisfies said test requirement; and

repeating said steps of selecting a plurality of new peptides, determining a new relationship, calculating an estimated indicia, and selecting a new second test peptide library until the measured indicia of at least one of the initial peptides in the second test peptide library satisfies a predetermined threshold.